



**WESTERN STATES**  
**GLASS**

**WE  
PROVIDE  
CLEAR  
VISIONS**

Visit our website  
[www.wsglass.com](http://www.wsglass.com)



## HOW WE WORK

At **Western States Glass** our goal is to provide customers with the personable service you can expect from a family-owned business, as well as provide a wide selection of high-quality glass products to better serve any of your glass needs.

Our company stands apart because we have a team of long-term employees. Our inside and outside sales staff, production, distribution, maintenance and office staff have extensive experience in their respective fields and share our commitment to providing our customers with the best possible service. Whether you are working with our order desk, drivers, sales staff, or another member of our team, you will receive the reliable service you need to get the job done.

Our customers trust us for their glass needs because we built our business on quality, service, dependability and competitive pricing.

## GREAT REASONS TO WORK WITH US



**Always On-Time**



**Experienced**



**Dependable**



**Innovative**



**Jobsite Delivery**



**Shower Deductions**



**Knowledgeable Staff**



**Quality Products**

**CONTACT WESTERN STATES GLASS  
WITH YOUR ORDER TODAY**

E-MAIL: [SALES@WSGLASS.COM](mailto:SALES@WSGLASS.COM)  
PHONE: 562-983-1374  
FAX: 562-590-9981



# TABLE OF CONTENTS

<b>Insulated Glass</b>	<b>1-2</b>
<b>Tempered Glass</b>	<b>3</b>
<b>Fabrication</b>	<b>4</b>
<b>Mirrors</b>	<b>5</b>
<b>Laminated Glass</b>	<b>6</b>
<b>Shower Enclosures</b>	<b>7</b>
<b>Shower Hardware</b>	<b>8</b>
<b>Inventory</b>	<b>9-12</b>
<b>Misc Products</b>	<b>13-14</b>
<b>Capabilities</b>	<b>15</b>



*We are always here for you!*

# INSULATED GLASS

The popularity of insulated glass continues to grow among residential and commercial property owners who are seeking a more energy-efficient solution for their homes and businesses.

At **Western States Glass** our IG lines are of the highest quality with a maximum insulated unit size 96 x 130 inches. We use the best sealants, spacers, and desiccants available and we dual seal every unit.

## OUR INSULATED GLASS PRODUCTS INCLUDE THE USE OF:

- Any combination of glass in our inventory
- Soft coat Low - E glass by Vitro, Cardinal and Guardian
- Hard coat Low - E glass by Pilkington
- With Flat or Sculptured grids
- Dual Seal (Polyurethane)
- Dual Seal (Polysulfide)
- Argon Gas Filled
- Patterns and Shapes
- Notch Cutouts
- Breather Tubes
- Aluminum or Super spacer



We offer overnight service on most tempered products that do not require fabrication.  
(Refer to our Lead Time Schedule PDF - [www.wsglass.com/leadtime](http://www.wsglass.com/leadtime)).



# INSULATED GLASS WITH GRIDS

Designer grids lend an added measure of style and dimension. All grids are enclosed within the insulated glass unit for easy cleaning. We are offering in two variations: flat and sculptured grids.









## FLAT GRIDS

### Available Size

- ☒ 5/8
- ☒ 13/16
- ☒ 1 Inch

### Available Colors

- |   |   |  |   |   |   |
|---|---|--|---|---|---|
|  |  |  |  |  |  |
| White   | Tan   | Bronze   | Black   | Champange   | Green   |

### Two Tone Color Options

- |   |   |   |
|---|---|---|
|  |  |  |
| White - Bronze  | White - Tan   | Custom  |

# SCULPTURED GRIDS (GEORGIAN BARS)



FISHMOUTH



WITH CONNECTORS

### Available Size

- ☒ 3/4
- ☒ 1 Inch

### Available Colors

- |   |   |
|---|---|
|  |  |
| White   | Tan   |

### Two Tone Color Options

- |   |   |   |
|---|---|---|
|  |  |  |
| White - Bronze  | White - Tan   | Custom  |

# TEMPERED GLASS

**Western States Glass** has a state-of-the-art horizontal convection single bay furnace, which allows us to successfully temper a wide variety of glass types and thickness. The size of our furnace is 96 x 144. Our tempered products are of the finest quality in the industry. We offer overnight service on most tempered products that do not require fabrication.

## WE TEMPER:

- ✓ 1/8 ✓ 5/32 ✓ 3/16 ✓ 1/4 ✓ 3/8 ✓ 1/2 ✓ 5/8 ✓ 3/4
- ✓ Clear, tinted and obscure glass
- ✓ Reflective and Low-E glass
- ✓ Most high performance soft and hard coat Low-E glass
- ✓ Temper Customer's Glass
- ✓ Max glass size 96" x 144"





# FABRICATION

At **Western States Glass** we are committed to providing our customers with high quality craftsmanship at a competitive price. We have a team of skilled workers who have years of experience fabricating glass, and we manufacture all our products using state-of-the-art systems. Our automated equipment allows for greater precision, more varied applications and faster turnaround times. Contact our order desk for a complete breakdown of the custom glass products our fabrication department can produce.

## OUR FABRICATION DEPARTMENT CAN PRODUCE:

- ✓ Tempered glass
- ✓ Insulated glass
- ✓ Beveling – Straight line and custom shape
- ✓ Hole drilling, notching, angle and radius corners and cut outs.
- ✓ Polishing – Machine and hand polishing
- ✓ Polished Miter – 0-45 degrees
- ✓ Cut size – Automated, high-speed cutting line for most custom sizes and shapes
- ✓ Custom manual pattern cuts





# MIRRORS

**Western States Glass** proudly offers a full range of top-quality custom mirrors. For over 30 years, Western States Glass has been fabricating some of the finest mirrors in the market with a capability of producing mirrors up to 96 inches by 144 inches with full fabrication service. All of the custom mirror products we provide are available in case quantities, stock sheets and more to suit the customer's specific requirements.



## FEATURES AND OPTIONS

Our high-quality mirrors are available with a full range of features and options. We are also capable of producing mirrors that include Category II safety backing for applications requiring shatterproof products.

## CUSTOM MIRROR FABRICATION SERVICES

At **Western States Glass**, all of our renowned custom glass fabrication capabilities can be applied to our mirrors as well, and our experienced craftsmen excel in custom mirror fabrication. We encourage you to visit our website for more information about the full range of custom mirror fabrication services we offer.

### Mirror fabrication capabilities include:

- Cutting
  - Edge finishing
  - Polishing
  - Beveling
- ✓ 1/2    ✓ 3/4    ✓ 1"    ✓ 1 1/4"    ✓ 1 1/2"



# LAMINATED GLASS

Laminated glass is the glazing solution of choice when safety and noise reduction are priorities. At **Western States Glass**, we offer a wide range of laminated glass options. Laminated Glass is constructed using a combination of high heat and intense pressure, fusing two panes, known as “lites,” together with one or more interlayers made of polyvinyl butyral (PVB). This results in a glass material that has increased structural integrity and enhanced acoustical performance when compared with traditional monolithic glass.

## WE OFFER A WIDE RANGE OF LAMINATED GLASS OPTIONS



Clear laminated glass



White laminated glass



Gray laminated glass



Bronze laminated glass



Blue-Green laminated glass



# SHOWER ENCLOSURES

**Western States Glass** fabricates high-quality heavy shower doors with or without deductions (CRL program) for your residential and commercial customers. We offer special manual pattern-cut shower doors for that unusual application.


All of our shower doors include applicable cut-outs for handles and clamps, and we also supply top-of-the-line hardware to complete your order.





# SHOWER HARDWARE

**GLASS TO WALL HINGES**



**GLASS TO GLASS HINGES**



**PIVOT HINGES**




**GLASS CLAMPS**




**PULL HANDLES**



**SHOWER U-CHANNELS**



**SEALS AND WIPES**



**TOWEL BARS - KNOBS - ROBE HOOKS**



# INVENTORY


## CLEAR & TINTED GLASS



### CLEAR GLASS

AVAILABLE THICKNESS

- |  |   |  |
|--|---|--|
| <input checked="" type="checkbox"/> SS   | <input checked="" type="checkbox"/> 1/8 | <input checked="" type="checkbox"/> 5/32 |
| <input checked="" type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input checked="" type="checkbox"/> 3/8  |
| <input checked="" type="checkbox"/> 1/2  | <input checked="" type="checkbox"/> 5/8 | <input checked="" type="checkbox"/> 3/4  |



### GRAYLITE II

AVAILABLE THICKNESS

- |                               |   |                               |
|-------------------------------|---|-------------------------------|
| <input type="checkbox"/> SS   | <input checked="" type="checkbox"/> 1/8 | <input type="checkbox"/> 5/32 |
| <input type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input type="checkbox"/> 3/8  |
| <input type="checkbox"/> 1/2  | <input type="checkbox"/> 5/8            | <input type="checkbox"/> 3/4  |



### LOW IRON

AVAILABLE THICKNESS

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> SS             | <input type="checkbox"/> 1/8            | <input type="checkbox"/> 5/32           |
| <input type="checkbox"/> 3/16           | <input checked="" type="checkbox"/> 1/4 | <input checked="" type="checkbox"/> 3/8 |
| <input checked="" type="checkbox"/> 1/2 | <input checked="" type="checkbox"/> 5/8 | <input checked="" type="checkbox"/> 3/4 |



### SOLEXIA

AVAILABLE THICKNESS

- |                               |   |                               |
|-------------------------------|---|-------------------------------|
| <input type="checkbox"/> SS   | <input type="checkbox"/> 1/8            | <input type="checkbox"/> 5/32 |
| <input type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input type="checkbox"/> 3/8  |
| <input type="checkbox"/> 1/2  | <input type="checkbox"/> 5/8            | <input type="checkbox"/> 3/4  |



### BRONZE

AVAILABLE THICKNESS

- |  |   |   |
|--|---|---|
| <input type="checkbox"/> SS              | <input checked="" type="checkbox"/> 1/8 | <input type="checkbox"/> 5/32           |
| <input checked="" type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input checked="" type="checkbox"/> 3/8 |
| <input type="checkbox"/> 1/2             | <input type="checkbox"/> 5/8            | <input type="checkbox"/> 3/4            |



### SOLARCOOL BRONZE

AVAILABLE THICKNESS

- |                               |   |                               |
|-------------------------------|---|-------------------------------|
| <input type="checkbox"/> SS   | <input type="checkbox"/> 1/8            | <input type="checkbox"/> 5/32 |
| <input type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input type="checkbox"/> 3/8  |
| <input type="checkbox"/> 1/2  | <input type="checkbox"/> 5/8            | <input type="checkbox"/> 3/4  |



### GRAY

AVAILABLE THICKNESS

- |  |   |                               |
|--|---|-------------------------------|
| <input type="checkbox"/> SS              | <input checked="" type="checkbox"/> 1/8 | <input type="checkbox"/> 5/32 |
| <input checked="" type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input type="checkbox"/> 3/8  |
| <input type="checkbox"/> 1/2             | <input type="checkbox"/> 5/8            | <input type="checkbox"/> 3/4  |




### GRAY MIRRORPANE

AVAILABLE THICKNESS

- |                               |   |                               |
|-------------------------------|---|-------------------------------|
| <input type="checkbox"/> SS   | <input type="checkbox"/> 1/8            | <input type="checkbox"/> 5/32 |
| <input type="checkbox"/> 3/16 | <input checked="" type="checkbox"/> 1/4 | <input type="checkbox"/> 3/8  |
| <input type="checkbox"/> 1/2  | <input type="checkbox"/> 5/8            | <input type="checkbox"/> 3/4  |




LOW-E GLASS



**CARDINAL 270** (Low-E 2)

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**CARDINAL 366** (Low-E 3)

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**GUARDIAN 70/36** (Low-E 2)

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**GUARDIAN 62/27** (Low-E 3)

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**SOLARBAN 60** (Low-E 2)

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**SOLARBAN 70** (Low-E 3)

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**PILKINGTON** Energy Advantage

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4




**GUARDIAN 55/27**

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4


LAMINATED GLASS



**WHITE LAMINATED**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**BRONZE LAMINATED**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**GRAY LAMINATED**

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4




**BLUE-GREEN LAMINATED**

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4


## OBSCURE GLASS



**ACID ETCH**

AVAILABLE THICKNESS

<input checked="" type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input checked="" type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**AQUALITE**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**P-516**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**RAIN**

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input checked="" type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**REEDED**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**BAMBOO**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**SQUARES**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**GLUECHIP**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**POL. MISCO WIRE**

AVAILABLE THICKNESS


<input type="checkbox"/> SS	<input type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**DON'T SEE WHAT YOU NEED?**

LET US KNOW AND WE WILL GIVE OUR BEST TO GET IT FOR YOU!


## MIRRORS



**CLEAR MIRROR**

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



**SAFETY BACK MIRROR**

AVAILABLE THICKNESS

<input type="checkbox"/> SS	<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 5/32
<input checked="" type="checkbox"/> 3/16	<input checked="" type="checkbox"/> 1/4	<input type="checkbox"/> 3/8
<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 3/4



# Get Your Free **Sample Box** Today!



**ORDER A SAMPLE PACK SO YOU CAN TOUCH AND FEEL OUR  
PREMIUM RANGE OF GLASS SAMPLES FOR YOURSELF.**

**E-MAIL: [SALES@WSGLASS.COM](mailto:SALES@WSGLASS.COM)**

**PHONE: 562-983-1374**

**FAX: 562-590-9981**

# MISC PRODUCTS

## STANDARD J-CHANNEL EXTRUSIONS



**1/4" STANDARD ALUMINUM J**  
BRUSHED NICKEL LENGTH : 95" OR 144"



**1/4" STANDARD ALUMINUM J**  
BRITE CHROME LENGTH : 95" OR 144"



**1/4" STANDARD ALUMINUM J**  
OIL RUBBED BRONZE LENGTH : 95" OR 144"



**1/4" STANDARD ALUMINUM J**  
SATIN ALUMINUM LENGTH : 95" OR 144"

## DEEP NOSE J-CHANNEL



**1/4" DEEP NOSE ALUMINUM J**  
BRUSHED NICKEL LENGTH : 95" OR 144"



**1/4" DEEP NOSE ALUMINUM J**  
BRITE CHROME LENGTH : 95" OR 144"




**1/4" DEEP NOSE ALUMINUM J**  
OIL RUBBED BRONZE LENGTH : 95" OR 144"



**1/4" DEEP NOSE ALUMINUM J**  
BRIGHT ANODIZED LENGTH : 95" OR 144"


## STANDARD L-ANGLES AND DIVIDER BARS



**1/4" ALUMINUM L-ANGLE**  
BRUSHED NICKEL LENGTH : 95" OR 144"




**1/4" ALUMINUM L-ANGLE**  
BRITE CHROME LENGTH : 95" OR 144"




**1/4" ALUMINUM L-ANGLE**  
OIL RUBBED BRONZE LENGTH : 95" OR 144"



**1/4" ALUMINUM L-ANGLE**  
SATIN ALUMINUM LENGTH : 95" OR 144"




**ALUMINUM DIVIDER BAR**  
BRUSHED NICKEL LENGTH : 144"



**ALUMINUM DIVIDER BAR**  
BRITE ANODIZED LENGTH : 144"



**ALUMINUM DIVIDER BAR**  
OIL RUBBED BRONZE LENGTH : 144"



**ALUMINUM DIVIDER BAR**  
SATIN ALUMINUM LENGTH : 144"



## GLASS MIRROR SWITH PLATES



**SINGLE DUPLEX PLUG  
GLASS PLATES**



**SINGLE TOGGLE SWITCH  
GLASS PLATES**



**SINGLE DECORA  
GLASS PLATES**



**DOUBLE DECORA  
GLASS PLATES**

## SHOWER HARDWARE



**WALL MOUNT HINGE**



**WALL MOUNT HINGE**



**WALL MOUNT HINGE BEVELED**



**WALL MOUNT HINGE BEVELED**



**WALL MOUNT CLAMP**



**WALL MOUNT CLAMP BEVELED**



**WALL MOUNT CLAMP BEVELED**



**WALL MOUNT CLAMP**

## GLAZING SUPPLIES



**GLASS SEPARATOR PADS  
1" X 1" X 3/16"**



**CORK PADS  
1/8" X 3/4" X 3/4"**



**GLASS CORNER PROTECTORS**



**GLASS CORNER PROTECTORS**



**WET ABRASIVE BELTS  
4" X 106"**



**GLASS GRINDING BELTS  
3" X 24"**



**GLASS GRINDING BELTS  
3/8" X 21"**



**PALMER MIRRO-MASTIC®  
GALLON**

# CAPABILITIES

**Western States Glass** is equipped with a collection of processing equipment and glass inventory to meet your needs.

## WE OFFER A FULL RANGE OF



- ✓ Glass Cutting - 102" x 144"
- ✓ Flat Tempering - 96" x 144"
- ✓ Insulated Glass Units - 96" x 130"
- ✓ Edge Polishing & Mitering
- ✓ Beveling - 1/2 , 3/4 , 1" , 1 1/4" , 1 1/2"

- ✓ Drilling and Notching
- ✓ Hand Polishing
- ✓ CNC Fabrication
- ✓ Custom Fabrication
- ✓ Patterns & Shapes







# **WESTERN STATES**

---

# **GLASS**



**SCAN TO VISIT  
OUR WEBSITE**

If you would like to find out more about our company, our glass products or glass fabrication capabilities, contact our experienced team of glass professionals now!



PHONE  
**562-983-1374**



FAX  
**562-590-9981**



E-MAIL  
**SALES@WSGLASS.COM**



WEBSITE  
**WWW.WSGGLASS.COM**

*We are here for you when you need us!*



Our company stands apart because we have a team of long-term employees. Our inside and outside sales staff, production, distribution, maintenance and office staff have extensive experience in their respective fields and share our commitment to providing our customers with the best possible service. Whether you are working with our order desk, drivers, sales staff, or another member of our team, you will receive the reliable service you need to get the job done.

## GET IN TOUCH WITH US

 790 W 12th Street  
Long Beach, CA 90813

 **Toll Free**  
800-859-2060

 **Order Desk**  
562-983-1374

 **Toll Free Fax**  
877-596-9982

 **Fax**  
562-590-9981

 **E-mail**  
[sales@wsglass.com](mailto:sales@wsglass.com)

 **Website**  
[www.wsglass.com](http://www.wsglass.com)